

**CEMENT & CONCRETE**

**ALLCRETE® TEXTILE**  
PLASTER, GROUT & CONCRETE

**APPLICATION:** For use in plaster & grout and shotcrete applications, handling a multitude of materials being pumped to concrete structures, dams, tunnel faces, swimming pools, etc. For use as a flexible connection between pumping equipment and hard piping.

**CONSTRUCTION**

**TUBE:** Black Tufsyn® synthetic rubber

**COVER:** Black Plioflex® rubber (wrapped impression)

**REINFORCEMENT:** Spiral-plyed high-strength fabric

**TEMPERATURE:** -25°F to 180°F (-32°C to 82°C)

**PACKAGING:** 50' lengths, coiled and polywrapped

**BRANDING:** Allcrete Textile Ply Plaster, Grout Concrete by Goodyear 2" 1233 psi / 85 Bars WP, 4.8 lbs/ft, Meets or Exceeds CPMA 27-2000

**COUPLINGS:** Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

**NON-STOCK/SIZES:** Refer to page 300 for special production run minimum requirements.

**ORDER CODES:** 549-638

ID		NOM. OD		MAX. WP		WEIGHT	
in.	mm.	in.	mm.	psi.	Mpa.	lb./ft.	kg./m.
1	25.4	1.67	42.3	1233	8.5	0.67	1.00
1 <sup>1/4</sup>	31.8	1.93	49.0	1233	8.5	0.80	1.19
1 <sup>1/2</sup>	38.1	2.31	58.7	1233	8.5	1.14	1.70
2	50.8	2.83	71.8	1233	8.5	1.46	2.18
2 <sup>1/2</sup>	63.5	3.40	86.3	1233	8.5	1.96	2.92
3	76.2	3.92	99.6	1233	8.5	2.39	3.56
4	101.6	4.45	113.0	1233	8.5	2.71	4.04
5	127.0	4.94	125.6	1233	8.5	3.10	4.62

Air & Multipurpose  
General Purpose  
Heavy Duty  
Push-on

Chemical Transfer

Cleaning Equipment

Food Transfer  
Washdown

Marine

Material Handling  
Impellers  
Blowers  
Cement & Concrete

Mining

Petroleum  
Aircraft Fueling  
Dispensing  
Dock  
Transfer

Spray

Steam

Vacuum

Water  
Discharge  
Suction & Discharge  
Washdown

Welding

Coupling Systems

Appendix  
Additional Products  
Chemical Charts  
General Information  
Minimum Run Requirements

See Page 2 for complete product warranty and terms of sale information. In V-Cat, please reference the Conditions of Sale page in the General Information section. Information in this catalog supersedes all previously printed material. Information valid as of the day published. Due to continual product improvements, Goodyear reserves the right to alter specs without prior notice. For the most current product information, visit us online at [www.goodyear.com](http://www.goodyear.com).

© 2007 The Goodyear Tire & Rubber Company.